# **Recombinant Plasminogen (Plg) Instruction Manual**

## SIPB215Hu01

#### Homo sapiens (Human)

Source	Prokaryotic expression			
Host	E.coli			
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)			
Subcellular Location	Secreted			
Predicted Molecular Mass	33.3kDa			
Accurate Molecular Mass	38kDa(Analysis of differences refer to the manual)			
Residues & Tags	Gln274~Cys560 with N-terminal His Tag			
<b>Buffer Formulation</b>	er Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKI 5% Trehalose.			
Traits	Freeze-dried powder			
Purity	> 97%			
Isoelectric Point	6.7			
Applications	Positive Control; Immunogen; SDS-PAGE; WB.			

#### **SEQUENCE**

		QCLKGTG	ENYRGNVAVT	VSGHTCQHWS
AQTPHTHNRT	PENFPCKNLD	ENYCRNPDGK	RAPWCHTTNS	QVRWEYCKIP
SCDSSPVSTE	QLAPTAPPEL	TPVVQDCYHG	DGQSYRGTSS	TTTTGKKCQS
WSSMTPHRHQ	KTPENYPNAG	LTMNYCRNPD	ADKGPWCFTT	DPSVRWEYCN
LKKCSGTEAS	VVAPPPVVLL	PDVETPSEED	CMFGNGKGYR	GKRATTVTGT
PCQDWAAQEP	HRHSIFTPET	NPRAGLEKNY	CRNPDGDVGG	PWCYTTNPRK
LYDYCDVPQC				

#### USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

#### STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



#### Image

### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.