Recombinant Interleukin 17 Receptor A (IL17RA) Instruction Manual

SIPB254Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression			
Host	E.coli			
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)			
Subcellular Location	Membrane			
Predicted Molecular Mass	30.3kDa			
Accurate Molecular Mass	33kDa(Analysis of differences refer to the manual)			
Residues & Tags	Arg590-Trp848 with N-terminal His Tag			
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.			
Traits	Freeze-dried powder			
Purity	> 90%			
Isoelectric Point	4.4			
Applications	Positive Control; Immunogen; SDS-PAGE; WB.			

SEQUENCE

			R	ENLCLADGQD
LPSLDEEVFE	DPLLPPGGGI	VKQQPLVREL	PSDGCLVVDV	CVSEEESRMA
KLDPQLWPQR	ELVAHTLQSM	VLPAEQVPAA	HVVEPLHLPD	GSGAAAQLPM
TEDSEACPLL	GVQRNSILCL	PVDSDDLPLC	STPMMSPDHL	QGDAREQLES
LMLSVLQQSL	SGQPLESWPR	PEVVLEGCTP	SEEEQRQSVQ	SDQGYISRSS
PQPPEWLTEE	EELELGEPVE	SLSPEELRSL	RKLQRQLFFW	ELEKNPGW

USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.