Recombinant Coagulation Factor VII (F7) Instruction Manual

SIPB276Bo01

Bos taurus; Bovine (Cattle)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass57.6kDa

Accurate Molecular Mass 58kDa(Analysis of differences refer to the manual)
Residues & Tags Ile193~Pro447 with N-terminal His and GST Tag

PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5%

Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 7.6

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

Buffer Formulation

IVGGHVCP

KGECPWQAML KLNGALLCGG TLVGPAWVVS AAHCFERLRS RGNLTAVLGE HDLSRVEGPE QERRVAQIIV PKQYVPGQTD HDVALLQLAQ PVALGDHVAP LCLPDPDFAD QTLAFVRFSA VSGWGQLLER GVTARKLMVV LVPRLLTQDC LQQSRQRPGG PVVTDNMFCA GYSDGSKDAC KGDSGGPHAT RFRGTWFLTG VVSWGEGCAA AGHFGIYTRV SRYTAWLRQL MGHPPSRQGF FQVPLLP

USAGE


Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.