Recombinant Complement Component 9 (C9) Instruction Manual

SIPB312Mu01

Mus musculus (Mouse)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Membrane, Secreted

Predicted Molecular Mass 46.6kDa

Accurate Molecular Mass 47kDa(Analysis of differences refer to the manual)

Residues & Tags Pro136~Arg512 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL,

5% Trehalose.

Traits Freeze-dried powder

Purity > 80% Isoelectric Point 8.7

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

			PRTPC	RDRVAEESEL
GLTAGYGINI	LGMEPLRTPF	DNEFYNGLCD	RVRDEKTYYR	KPWNVVSLIY
ETKADKSFRT	ENYDEHLEVF	KAINREKTSN	FNADFALKES	ATEVPEKGAG
EVSPAEHSSK	PTNISAKFKF	SYFMGKNFRR	LSSYFSQSKK	MFVHLRGVVQ
LGRFVMRNRD	VVLRSTFLDD	VKALPTSYEK	GEYFGFLETY	GTHYSTSGSL
GGQYEIVYVL	DKASMKEKGV	DLNDVKHCLG	FNMDLRIPLQ	DDLKDASVTA
SVNADGCIKT	DNGKTVNITR	DNIIDDVISF	IRGGTREQAI	LLKEKILRGD
KTFDKTDFAN	WASSLANAPA	LISQRMSPIY	NLIPLKIKDA	YIKKQNLEKA
VEDYIDEFST	KR			

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.				