Recombinant Cluster Of Differentiation 109 (CD109) Instruction Manual

SIPB363Hu01

Homo sapiens (Human)

Source	Prokaryotic expression			
Host	E.coli			
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)			
Subcellular Location	Membrane			
Predicted Molecular Mass	30.7kDa			
Accurate Molecular Mass	33kDa(Analysis of differences refer to the manual)			
Residues & Tags	Ala1146~Gln1390 with N-terminal His Tag			
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.			
Traits	Freeze-dried powder			
Purity	> 80%			
Isoelectric Point	7.2			
Applications	Positive Control; Immunogen; SDS-PAGE; WB.			

SEQUENCE

				AYALL
SHFLQFQTSE	GIPIMRWLSR	QRNSLGGFAS	TQDTTVALKA	LSEFAALMNT
ERTNIQVTVT	GPSSPSPVKF	LIDTHNRLLL	QTAELAVVQP	TAVNISANGF
GFAICQLNVV	YNVKASGSSR	RRRSIQNQEA	FDLDVAVKEN	KDDLNHVDLN
VCTSFSGPGR	SGMALMEVNL	LSGFMVPSEA	ISLSETVKKV	EYDHGKLNLY
LDSVNETQFC	VNIPAVRNFK	VSNTQDASVS	IVDYYEPRRQ	

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

www.sunlongbiotech.com | sales@sunlongbiotech.com | +86 571 56623320