Recombinant Cluster Of Differentiation 147 (CD147) Instruction Manual

SIPB438Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane, Chromosome
Predicted Molecular Mass	29.6kDa
Accurate Molecular Mass	33kDa(Analysis of differences refer to the manual)
Residues & Tags	Gln87~Arg323 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	5.9
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

QHAA SSLSVDGLTA EDTGTYECRA SSDPDRNHLT RPPRVKWVRA QASVVVLEPG TIQTSVQEVN SKTQLTCSLN SSGVDIVGHR WMRGGKVLQE DTLPDLHTKY IVDADDRSGE YSCIFLPEPV GRSEINVEGP PRIKVGKKSE HSSEGELAKL VCKSDASYPP ITDWFWFKTS DTGEEEAITN STEANGKYVV VSTPEKSQLT ISNLDVNVDP GTYVCNATNA QGTTRETISL RVR

USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.