

Recombinant GDP Dissociation Inhibitor 1 (GDI1) Instruction Manual

SIPB446Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Cytoplasm
Predicted Molecular Mass	34.8kDa
Accurate Molecular Mass	35kDa(Analysis of differences refer to the manual)
Residues & Tags	Met1~Val274 with N-terminal His Tag
Buffer Formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	5.9
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
MDEEYDVIVL GTGLTECILS GIMSVNGKKV LHMDRNPYYG GESSITPLE  
ELYKRFQLE GPPESMGRGR DWNVDLIPKF LMANGQLVKM LLYTEVTRYL  
DFKVVESGFV YKGGKIYKVP STETEALASN LMGMEKRRF RKFLVFNANF  
DENPKTFEG VDPQTTSMRD VYRKFDLGQD VIDFTGHALA LYRTDDYLDQ  
PCLETVNRIK LYSESLARYG KSPYLYPLYG LGELPQGFAR LSAIYGGTYM  
LNKPVDDIIM ENKVVGVKS EGEV
```

USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.