Recombinant Guanylate Binding Protein 4 (GBP4) Instruction Manual

SIPB462Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1μg (determined by the LAL method)
Subcellular Location Membrane, Nucleus, Cytoplasm, Golgi apparatus

Predicted Molecular Mass 37.0kDa

Accurate Molecular Mass 37kDa(Analysis of differences refer to the manual)

Residues & Tags Met1~Lys292 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 5.5

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

MGERTLHAAV PTPGYPESES IMMAPICLVE NQEEQLTVNS KALEILDKIS QPVVVVAIVG LYRTGKSYLM NRLAGKRNGF PLGSTVQSET KGIWMWCVPH LSKPNHTLVL LDTEGLGDVE KSNPKNDSWI FALAVLLSSS FVYNSVSTIN HQALEQLHYV TELAELIRAK SCPRPDEAED SSEFASFFPD FIWTVRDFTL ELKLDGNPIT EDEYLENALK LIPGKNPKIQ NSNMPRECIR HFFRKRKCFV FDRPTNDKOY LNHMDEVPEE NLERHFLMOS DNFCSYIFTH AK

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



15% SDS-PAGE SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.