# Recombinant Immune Receptor Expressed On Myeloid Cells 1 (IREM1) Instruction Manual

# SIPB552Mu01

### Mus musculus (Mouse)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass58.9kDa

Accurate Molecular Mass 59kDa(Analysis of differences refer to the manual)

Residues & Tags 59kDa(Analysis of differences refer to the manual)

Ser45~Ile310 with N-terminal His and GST Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Traits** Freeze-dried powder

Purity > 95% Isoelectric Point 6.1

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

				SGWKDY
KKYWCQGVPQ	RSCKTLVETD	<b>ASEQLVKKNR</b>	VSIRDNQRDF	IFTVTMEDLR
MSDAGIYWCG	ITKGGLDPMF	KVTVNIGPAI	QVPITVPTMP	PITSTTTIFT
VTTTVKETSM	<b>FPTLTSYYSD</b>	NGHGGGDSGG	GEDGVGDGFL	DLSVLLPVIS
AVLLLLLLVA	SLFAWRMVRR	QKKAAGPPSE	QAQSLEGDLC	YADLSLKQPR
TSPGSSWKKG	SSMSSSGKDH	QEEVEYVTMA	<b>PFPREEVSYA</b>	ALTLAGLGQE
PTYGNTGCPI				

#### **USAGE**


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

# **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.