# Recombinant Thioredoxininteracting Protein (TXNIP) Instruction Manual

# SIPB599Mu01

#### Mus musculus (Mouse)

**Source** Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationCytoplasmPredicted Molecular Mass69.4kDa

Accurate Molecular Mass
69kDa(Analysis of differences refer to the manual)
Residues & Tags
Arg30~Glu381 with N-terminal His and GST Tag

Buffer Formulation 100mMNaHCO3, 500mMNaCl, pH8.3, containing 0.01%

SKL, 5% Trehalose.

**Traits** Freeze-dried powder

Purity > 90% Isoelectric Point 6.5

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

#### **SEQUENCE**

R VIVEVCEVTR VKAVRILACG
VAKVLWMQGS QQCKQTLDYL RYEDTLLLEE QPTAGENEMV IMRPGNKYEY
KFGFELPQGP LGTSFKGKYG CVDYWVKAFL DRPSQPTQEA KKNFEVMDLV
DVNTPDLMAP VSAKKEKKVS CMFIPDGRVS VSARIDRKGF CEGDDISIHA
DFENTCSRIV VPKAAIVARH TYLANGQTKV FTQKLSSVRG NHIISGTCAS
WRGKSLRVQK IRPSILGCNI LKVEYSLLIY VSVPGSKKVI LDLPLVIGSR
SGLSSRTSSM ASRTSSEMSW IDLNIPDTPE APPCYMDIIP EDHRLESPTT
PLLDDVDDSO DSPIFMYAPE FOFMPPPTYT E

### USAGE

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.25 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**




Figure. SDS-PAGE

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.