# **Recombinant Integrin Alpha 5** (ITGa5) Instruction Manual

## SIPB725Hu02

#### Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass70.8kDa

Accurate Molecular Mass 71kDa(Analysis of differences refer to the manual)

**Residues & Tags** Phe42~Asn664 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Traits** Freeze-dried powder

Purity > 80% Isoelectric Point 4.4

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

### **SEQUENCE**

FNLDAEAPA
VLSGPPGSFF GFSVEFYRPG TDGVSVLVGA PKANTSQPGV LQGGAVYLCP
WGASPTQCTP IEFDSKGSRL LESSLSSSEG EEPVEYKSLQ WFGATVRAHG
SSILACAPLY SWRTEKEPLS DPVGTCYLST DNFTRILEYA PCRSDFSWAA
GQGYCQGGFS AEFTKTGRVV LGGPGSYFWQ GQILSATQEQ IAESYYPEYL
INLVQGQLQT RQASSIYDDS YLGYSVAVGE FSGDDTEDFV AGVPKGNLTY
GYVTILNGSD IRSLYNFSGE QMASYFGYAV AATDVNGDGL DDLLVGAPLL
MDRTPDGRPQ EVGRVYVYLQ HPAGIEPTPT LTLTGHDEFG RFGSSLTPLG
DLDQDGYNDV AIGAPFGGET QQGVVFVFPG GPGGLGSKPS QVLQPLWAAS
HTPDFFGSAL RGGRDLDGNG YPDLIVGSFG VDKAVVYRGR PIVSASASLT
IFPAMFNPEE RSCSLEGNPV ACINLSFCLN ASGKHVADSI GFTVELQLDW
QKQKGGVRRA LFLASRQATL TQTLLIQNGA REDCREMKIY LRNESEFRDK
LSPIHIALNF SLDPQAPVDS HGLRPALHYQ SKSRIEDKAQ ILLDCGEDNI
CVPDLOLEVF GEON

#### USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### **Image**



# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.