# Recombinant Procollagen C-Endopeptidase Enhancer (PCOLCE) Instruction Manual

# SIPB734Mu01

# Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	47.8kDa
Accurate Molecular Mass	48kDa(Analysis of differences refer to the manual)
Residues & Tags	Cys36~Ala468 with N-terminal His Tag
Buffer Formulation	100mMNaHCO <sub>3</sub> , 500mMNaCl, pH8.3, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 97%
Isoelectric Point	8.4
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

CGGDV TGESGYVASE GFPNLYPPNK KCIWTITVPE GQTVSLSFRV FDMELHPSCR YDALEVFAGS GTSGQRLGRF CGTFRPAPVV APGNQVTLRM TTDEGTGGRG FLLWYSGRAT SGTEHQFCGG RMEKAQGTLT TPNWPESDYP PGISCSWHII APSNQVIMLT FGKFDVEPDT YCRYDSVSVF NGAVSDDSKR LGKFCGDKAP SPISSEGNEL LVQFVSDLSV TADGFSASYR TLPRDAVEKE SALSPGEDVQ RGPQSRSDPK TGTGPKVKPP TKPKSQPAET PEASPATQAT PVAPAAPSIT CPKQYKRSGT LQSNFCSSSL VVTGTVKTMV RGPGEGLTVT VSLLGVYKTG GLDLPSPPSG TSLKLYVPCR QMPPMKKGAS YLLMGQVEEN RGPILPPESF VVLYRSNQDQ ILNNLSKRKC PSQPRTAA

#### USAGE

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

# STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

# STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### Image




Figure. SDS-PAGE

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

www.sunlongbiotech.com | sales@sunlongbiotech.com | +86 571 56623320