Recombinant Cluster Of Differentiation 97 (CD97) Instruction Manual

SIPB767Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Membrane, Secreted

Predicted Molecular Mass 52.4kDa

Accurate Molecular Mass 52kDa(Analysis of differences refer to the manual)

Residues & Tags Pro58~Met260 with N-terminal His and GST Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 4.5

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

PTE TCDDINECAT PSKVSCGKFS DCWNTEGSYD CVCSPGYEPV SGAKTFKNES ENTCQDVDEC QQNPRLCKSY GTCVNTLGSY TCQCLPGFKF IPEDPKVCTD VDECSSGQHQ CDSSTVCFNT VGSYSCRCRP GWKPRHGIPN NQKDTVCEDM TFSTWTPPPG VHSQTLSRFF DKVQDLGRDS KTSSAEVTIQ NVIKLVDELM

USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



Image

18

22

14

Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.