# Recombinant Colony Stimulating Factor Receptor, Macrophage (MCSFR) Instruction Manual

## SIPB791Hu01

### Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass19.7kDa

Accurate Molecular Mass 17&18kDa(Analysis of differences refer to the manual)

**Residues & Tags** Phe768~Ser928 with N-terminal His Tag

**Buffer Formulation** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL,

5% Trehalose.

**Traits** Freeze-dried powder

Purity > 90% Isoelectric Point 7.1

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

## **SEQUENCE**

FLA SKNCIHRDVA ARNVLLTNGH VAKIGDFGLA RDIMNDSNYI VKGNARLPVK WMAPESIFDC VYTVQSDVWS YGILLWEIFS LGLNPYPGIL VNSKFYKLVK DGYQMAQPAF APKNIYSIMQ ACWALEPTHR PTFOOICSFL OEOAOEDRRE RDYTNLPS

#### USAGE

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.3 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**




Figure. SDS-PAGE

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.