Recombinant Prostaglandin F2 Receptor Negative Regulator (PTGFRN) Instruction Manual

SIPB884Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Golgi apparatus, Endoplasmic reticulum lumen
Predicted Molecular Mass	33.3kDa
Accurate Molecular Mass	33kDa(Analysis of differences refer to the manual)
Residues & Tags	Pro406~Pro662 with N-terminal His Tag
Buffer Formulation	100mMNaHCO ₃ , 500mMNaCl, pH8.3, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	7.1
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

PDYQV YLNASKVPGF ADDPTELACR VVDTKSGEAN VRFTVSWYYR MNRRSDNVVT SELLAVMDGD WTLKYGERSK QRAQDGDFIF SKEHTDTFNF RIQRTTEEDR GNYYCVVSAW TKQRNNSWVK SKDVFSKPVN IFWALEDSVL VVKARQPKPF FAAGNTFEMT CKVSSKNIKS PRYSVLIMAE KPVGDLSSPN ETKYIISLDQ DSVVKLENWT DASRVDGVVL EKVQEDEFRY RMYQTQVSDA GLYRCMVTAW SP

USAGE


Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.