Recombinant Receptor Interacting Serine Threonine Kinase 2 (RIPK2) Instruction Manual

SIPB888Mu01

Mus musculus (Mouse)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationCytoplasmPredicted Molecular Mass37.4kDa

Accurate Molecular Mass 39kDa(Analysis of differences refer to the manual)

Residues & Tags Met1~Leu294 with N-terminal His Tag

Buffer Formulation PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 6.3

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

MNGDAICSAL	PPIPYHKLAD	LHYLSRGASG	TVSSARHADW	RVRVAVKHLH
IHTPLLDSER	NDILREAEIL	HKARFSYILP	ILGICNEPEF	LGIVTEYMPN
GSLNELLHRK	TEYPDIAWPL	RFRILHEIAL	GVNYLHNMNP	PLLHHDLKTQ
NILLDNEFHV	KIADFGLSKW	RMMSLSQSRS	YKSAPEGGTI	IYMPPENYEP
GQKSRASVKH	DIYSYAVIMW	EVLSRKQPFE	EVTNPLQIMY	SVSQGHRPDT
SEENLPFDIP	HRGLMISLIQ	SGWAQNPDER	PSFLKCLIEL	EPVL

USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



15% SDS-PAGE SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.					