Recombinant Proopiomelanocortin (POMC) Instruction Manual

SIPB949Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass30.9kDa

Accurate Molecular Mass 37kDa(Analysis of differences refer to the manual)

Residues & Tags Glu23~Glu267 with N-terminal His Tag

100mMNaHCO₃, 500mMNaCl, pH8.3, containing 1mM

Buffer Formulation EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and

Proclin300.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 7.2

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

		EVRGWCLE	SSQCQDLTTE	SNLLECIRAC
KPDLSAETPM	FPGNGDEQPL	TENPRKYVMG	HFRWDRFGRR	NSSSSGSSGA
GQKREDVSAG	EDCGPLPEGG	PEPRSDGAKP	GPREGKRSYS	MEHFRWGKPV
GKKRRPVKVY	PNGAEDESAE	AFPLEFKREL	TGQRLREGDG	PDGPADDGAG
AQADLEHSLL	VAAEKKDEGP	YRMEHFRWGS	PPKDKRYGGF	MTSEKSQTPL
VTLFKNAIIK	NAYKKGE			

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.






Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.