Recombinant Growth Associated Protein 43 (GAP43) Instruction Manual

SIPB952Ra01

Rattus norvegicus (Rat)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Membrane, Cytoplasm

Predicted Molecular Mass 26.4kDa

Accurate Molecular Mass 40kDa(Analysis of differences refer to the manual)

Residues & TagsThr8~Ala226 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 4.8

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

TKQ VEKNDEDQKI EQDGVKPEDK AHKAATKIQA SFRGHITRKK LKDEKKGDAP AAEAEAKEKD DAPVADGVEK KEGDGSATTD AAPATSPKAE EPSKAGDAPS EEKKGEGDAA PSEEKAGSAE TESAAKATTD NSPSSKAEDG PAKEEPKQAD VPAAVTDAAA TTPAAEDAAK AAQPPTETAE SSQAEEEKEA VDEAKPKESA RODEGKEDPE ADOEHA

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image






Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.