# **Recombinant Interferon Regulatory Factor 1 (IRF1) Instruction Manual**

# SIPB970Hu01

### Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Nucleus, Cytoplasm

Predicted Molecular Mass 31.2kDa

Accurate Molecular Mass 39kDa(Analysis of differences refer to the manual)

**Residues & Tags** Trp11~Glu276 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Traits** Freeze-dried powder

Purity > 90% Isoelectric Point 5.7

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

	WLEMQINSNQ	<b>IPGLIWINKE</b>	EMIFQIPWKH	AAKHGWDINK
DACLFRSWAI	HTGRYKAGEK	<b>EPDPKTWKAN</b>	FRCAMNSLPD	IEEVKDQSRN
KGSSAVRVYR	MLPPLTKNQR	KERKSKSSRD	AKSKAKRKSC	GDSSPDTFSD
GLSSSTLPDD	<b>HSSYTVPGYM</b>	<b>QDLEVEQALT</b>	PALSPCAVSS	TLPDWHIPVE
VVPDSTSDLY	NFQVSPMPST	SEATTDEDEE	GKLPEDIMKL	LEQSEWQPTN
VDGKGYLLNE	PGVOPTSVYG	DFSCKE		

#### **USAGE**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.