# Recombinant Cadherin, Myotubule (CDH15) Instruction Manual

# SIPC002Mu01

## Mus musculus (Mouse)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass38.5kDa

Accurate Molecular Mass 44kDa(Analysis of differences refer to the manual)

**Residues & Tags** Leu60~Phe374 with N-terminal His Tag

100mMNaHCO<sub>3</sub>, 500mMNaCl, pH8.3, containing 1mM

**Buffer Formulation** EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and

Proclin300.

**Traits** Freeze-dried powder

Purity > 97% Isoelectric Point 4.3

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

#### **SEQUENCE**

L PYPLVQIKSD KQQLGSVIYS IQGPGVDEEP RNVFSIDKFT GRVYLNATLD REKTDRFRLR AFALDLGGST LEDPTDLEIV VVDQNDNRPA FLQDVFRGRI LEGAIPGTFV TRAEATDADD PETDNAALRF SILEQGSPEF FSIDEHTGEI RTVQVGLDRE VVAVYNLTLQ VADMSGDGLT ATASAIISID DINDNAPEFT KDEFFMEAAE AVSGVDVGRL EVEDKDLPGS PNWVARFTIL EGDPDGQFKI YTDPKTNEGV LSVVKPLDYE SREQYELRVS VQNEAPLQAA APRARRGQTR VSVWVQDTNE APVF

#### **USAGE**

Reconstitute in 100mM NaHCO<sub>3</sub>, 500mM NaCl (pH8.3) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**



SDS-PAGE Image

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.