Recombinant Decorin (DCN) Instruction Manual

SIPC210Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass37.6kDa

Accurate Molecular Mass 39kDa(Analysis of differences refer to the manual)

Residues & Tags Asp31~Lys359 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 8.6

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

			DEASGIGPEV	PDDRDFEPSL
GPVCPFRCQC	HLRVVQCSDL	GLDKVPKDLP	PDTTLLDLQN	NKITEIKDGD
FKNLKNLHAL	ILVNNKISKV	SPGAFTPLVK	LERLYLSKNQ	LKELPEKMPK
TLQELRAHEN	EITKVRKVTF	NGLNQMIVIE	LGTNPLKSSG	IENGAFQGMK
KLSYIRIADT	NITSIPQGLP	PSLTELHLDG	NKISRVDAAS	LKGLNNLAKL
GLSFNSISAV	DNGSLANTPH	LRELHLDNNK	LTRVPGGLAE	HKYIQVVYLH
NNNISVVGSS	DECPPGHNTK	KASYSGVSLF	SNPVQYWEIQ	PSTFRCVYVR
SATOL GNYK				

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.