Recombinant Fibroblast Growth Factor 21 (FGF21) Instruction Manual

SIPC325Ra02

Rattus norvegicus (Rat)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	21.0kDa
Accurate Molecular Mass	25kDa(Analysis of differences refer to the manual)
Residues & Tags	Ala29~Ala207 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 97%
Isoelectric Point	5.4
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

AY PISDSSPLLQ FGGQVRQRYL YTDDDQDTEA HLEIREDGTV VGTAHRSPES LLELKALKPG VIQILGVKAS RFLCQQPDGT LYGSPHFDPE ACSFRELLLK DGYNVYQSEA HGLPLRLPQK DSQDPATRGP VRFLPMPGLP HEPQEQPGVL PPEPPDVGSS DPLSMVEPLQ GRSPSYA

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

VARIAN CONCUMPERATING THE RECEIPTION OF THE PROPERTY OF THE PR		201112200-00V
1 7 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	G Q V R Q R Y L Y T D D D Q D T E Å H L E I R E D G T V V G T Å R R S P E S L I E L K Å L K P G V I (0 T T /
8 1 1 1 1 2 3 1 1 1 2 7 1	0 0 4 A O A I L I I D D D D D I C A A L C I A C D D I 4 4 6 I A A A D C C D L L C L C A L C 4 I 7	011.
	• • • • • • • • • • • • • • • • • • • •	



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.