Recombinant Platelet Derived Growth Factor D (PDGFD) Instruction Manual

SIPC326Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass54.4kDa

Accurate Molecular Mass 48kDa(Analysis of differences refer to the manual)

Residues & Tags Arg370 with Two N-terminal Tags, His-tag and

SUMO-tag

Buffer Formulation PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 8.4

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

	RD	TSATPQSASI	KALRNANLRR	DESNHLTDLY	
RRDETIQVKG	NGYVQSPRFP	NSYPRNLLLT	WRLHSQENTR	IQLVFDNQFG	
LEEAENDICR	YDFVEVEDIS	ETSTIIRGRW	CGHKEVPPRI	KSRTNQIKIT	
FKSDDYFVAK	PGFKIYYSLL	EDFQPAAASE	TNWESVTSSI	SGVSYNSPSV	
TDPTLIADAL	DKKIAEFDTV	EDLLKYFNPE	SWQEDLENMY	LDTPRYRGRS	
YHDRKSKVDL	DRLNDDAKRY	SCTPRNYSVN	IREELKLANV	VFFPRCLLVQ	
RCGGNCGCGT	VNWRSCTCNS	GKTVKKYHEV	LQFEPGHIKR	RGRAKTMALV	
DIOLDHHERC	DCICSSRPPR				

USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.