

Recombinant Collagen Type XI Alpha 1 (COL11a1) Instruction Manual

SIPC529Hu02

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	31.2kDa
Accurate Molecular Mass	33kDa(Analysis of differences refer to the manual)
Residues & Tags	Asp1564~Gly1806 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	4.5
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

DADDNIL DYSDGMEEIF GSLNSLKQDI EHMKFPMGTQ
TNPARTCKDL QLSHPDFPDG EYWIDPNQGC SGDSFKVYCN FTSGGETCIY
PDKKSEGVRI SSWPKEKPGS WFSEFKRGKL LSYLDVEGNS INMVQMTFLK
LLTASARQNF TYHCHQSAAW YDVSSGSYDK ALRFLGSNDE EMSYDNNPFI
KTLYDGCASR KGYEKTVIEI NTPKIDQVPI VDVMINDFGD QNQKFGFEVG
PVCFLG

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

006AT00GAAAT0GATGCGATGATGATATCTTGGATTACT0GGATGCAATGGAGCAATATTGGCT00CTCAAT00CTGAAAGCAGCATTGAGCTATGCAATTC0AATGGGTA0GAG00AAT0AG000GAACTTGTAAAGACTGCACT0AG00A00CTGAT00GATTC00GATGGTGAATTTGGATTA00CTA00GAA




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

