

Recombinant Telomerase Reverse Transcriptase (TERT) Instruction Manual

SIPC713Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Nucleus, Cytoplasm, Chromosome
Predicted Molecular Mass	67.4kDa
Accurate Molecular Mass	60kDa(Analysis of differences refer to the manual)
Residues & Tags	Gln642~Lys974 with N-terminal His and GST Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	7.1
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
QHFTRQLKT
LFSMLNYERT KHPHLMGSSV LGMNDIYRTW RAFVLRVRAL DQTPRMVFK
ADVTGAYDAI PQGKLVEVVA NMIRHSESTY CIRQYAVVRR DSQGQVHKSF
RRQVTTLSDL QPYMGQFLKH LQSDASALR NSVVIEQSISS MNESSSSSLFD
FFLHFLRHSV VKIGDRCYTQ CQGIPQGSSL STLLCSLCFG DMENKLFAEV
QRDGLLLRFV DDFLLVTPHL DQAKTFLSTL VHGVPEYGCM INLQKTVVNF
PVEPGTLGGA APYQLPAHCL FPWCGLLLDT QTLEVFCDYS GYAQTSIKTS
LTFQSVFKAG KTMRNKLLSV LRLK
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.