# Recombinant Anoctamin 2 (ANO2) Instruction Manual

# SIPC858Hu01

# Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass24.4kDa

Accurate Molecular Mass 24kDa(Analysis of differences refer to the manual)

**Residues & Tags** Ala823~Val1003 with N-terminal His Tag

**Buffer Formulation** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

**Traits** Freeze-dried powder

Purity > 90% Isoelectric Point 5.9

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

### **SEQUENCE**

AITSDFIP RLVYQYSYSH NGTLHGFVNH TLSFFNVSQL KEGTQPENSQ FDQEVQFCRF KDYREPPWAP NPYEFSKQYW FILSARLAFV IIFONLVMFL SVLVDWMIPD IPTDISDQIK KEKSLLVDFF

LKEEHEKLKL MDEPALRSPG GGDRSRSRAA SSAPSGOSOL GSMMSSGSOH

TNV

### USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### **STORAGE**


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**

GATICIST ACTUS TURNOUS, NERALAGATO ANG TA ANG SET OF A LEGIT EN AND ACTUAL TO THIT ANG TACAS THE ASSESSMENT AND THE ANG THE AN



# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.