

Recombinant Cyclin A1 (CCNA1)

Instruction Manual

SIPD397Hu02

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Nucleus
Predicted Molecular Mass	56.0kDa
Accurate Molecular Mass	56kDa(Analysis of differences refer to the manual)
Residues & Tags	Met1~Gln464 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 80%
Isoelectric Point	4.7
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
METGFPAIMY PGSFIGGWGE EYLSWEGPGL PDFVVFQQPVE SEAMHCSNPK
SGVVLATVAR GPDACQILTR APLGQDPPQR TVLGLLTANG QYRRTCGQGI
TRIRCYSGSE NAFPPAGKKA LPDCGVQEPP KQGFDIYMDE LEQGDRDSCS
VREGMAFEDV YEVDTGTLKS DLHFLLDFNT VSPMLVDSSL LSQSEDISSL
GTDVINVTEY AEEIYQYLRE AEIRHRPKAH YMKKQPDITE GMRTILVDWL
VEVGEEYKLR AETLYLAVNF LDRFLSCMSV LRGKLQLVGT AAMLLASKYE
EIYPPEVDEF VYITDDTYTK RQLLKMEHLL LKVLAFDLTV PTTNQFLLQY
LRRQGVCVRT ENLAKYVAEL SLLEADPFLK YLPSLIAAAA FCLANYTVNK
HFWPETLAAF TGYSLSEIVP CLSELHKAYL DIPHRPQQAI REKYKASKYL
CVSLMEPPAV LLLQ
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.