Recombinant Protein Tyrosine Phosphatase, Non Receptor Type 3 (PTPN3) Instruction Manual

SIPD817Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane
Predicted Molecular Mass	31.3kDa
Accurate Molecular Mass	31kDa(Analysis of differences refer to the manual)
Residues & Tags	Ser18~Leu259 with N-terminal His Tag
Buffer Formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	5.9
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

SEL PKEKTRSEVI CSIHFLDGVV QTFKVTKQDT GQVLLDMVHN HLGVTEKEYF GLQHDDDSVD SPRWLEASKA IRKQLKGGFP CTLHFRVRFF IPDPNTLQQE QTRHLYFLQL KMDICEGRLT CPLNSAVVLA SYAVQSHFGD YNSSIHHPGY LSDSHFIPDQ NEDFLTKVES LHEQHSGLKQ SEAESCYINI ARTLDFYGVE LHSGRDLHNL DLMIGIASAG VAVYRKYICT SFYPWVNIL

USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



15% SDS-PAGE Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.