Recombinant ATP Binding Cassette Transporter D4 (ABCD4) Instruction Manual

SIPD840Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass31.6kDa

Accurate Molecular Mass 31kDa(Analysis of differences refer to the manual)

Residues & Tags Leu356~Glu606 with N-terminal His Tag

100mMNaHCO₃, 500mMNaCl, pH8.3, containing 1mM

Buffer Formulation EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and

Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 4.9

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

LKSQD CEILGESEWG LDTPPGWPAA EPADTAFLLE RVSISAPSSD
KPLIKDLSLK ISEGQSLLIT GNTGTGKTSL LRVLGGLWTS TRGSVQMLTD
FGPHGVLFLP QKPFFTDGTL REQVIYPLKE VYPDSGSADD ERILRFLELA
GLSNLVARTE GLDQQVDWNW YDVLSPGEMQ RLSFARLFYL QPKYAVLDEA
TSALTEEVES ELYRIGQQLG MTFISVGHRQ SLEKFHSLVL KLCGGGRWEL
MRIKVE

USAGE

Reconstitute in 100mM NaHCO₃, 500mM NaCl (pH8.3) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.