Recombinant Mitoferrin (MFRN) Instruction Manual

SIPE430Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass34.5kDa

Accurate Molecular Mass 35kDa(Analysis of differences refer to the manual)

Residues & Tags Pro65~Tyr338 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 9.7

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

PVDSVK TRMQSLSPDP KAQYTSIYGA LKKIMRTEGF WRPLRGVNVM IMGAGPAHAM YFACYENMKR TLNDVFHHQG NSHLANGIAG SMATLLHDAV MNPAEVVKQR LQMYNSQHRS AISCIRTVWR TEGLGAFYRS YTTQLTMNIP FQSIHFITYE FLQEQVNPHR TYNPQSHIIS GGLAGALAAA ATTPLDVCKT LLNTQENVAL SLANISGRLS GMANAFRTVY QLNGLAGYFK GIQARVIYOM PSTAISWSVY EFFKYFLTKR QLENRAPY

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

\$4TH CONTROL OF CONTROL OF THE STREET OF THE



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.