

Recombinant Ring Finger Protein 55 (RNF55) Instruction Manual

SIPE913Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane, Cytoplasm
Predicted Molecular Mass	57.8kDa
Accurate Molecular Mass	44kDa(Analysis of differences refer to the manual)
Residues & Tags	Ser558~Gly816 with N-terminal His and GST Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	4.4
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
SRP QRRPLPCTPG DCPSRDKLPP VPSSRLGDSW LRRPIPKVPV
SAPSSSDPWT GRELTNRHSL PFSLPSQMEP RPDVPRLGST FSLDTSMSMN
SSPLVGPECD HPKIKPSSSA NAIYSLAARP LPVPKLPPGE QCEGEEDTEY
MTPSSRPLRP LDTSQSSRAC DCDQQIDSCT YEAMYNISQSQ APSITESSTF
GEGNLAAHA NTGPEESENE DDGYDVPKPP VPAVLARRTL SDISNASSSF
GWLSLDGDPT TNVTEG
```

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-0.25 mg/mL. Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.