# Recombinant Carboxypeptidase A4 (CPA4) Instruction Manual

# SIPF221Hu01

# Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass44.9kDa

Accurate Molecular Mass 45kDa(Analysis of differences refer to the manual)

**Residues & Tags** Lys55~Tyr421 with N-terminal His Tag

100mMNaHCO<sub>3</sub>, 500mMNaCl, pH8.3, containing 1mM

**Buffer Formulation** EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and

Proclin300.

**Traits** Freeze-dried powder

Purity > 97% Isoelectric Point 6.0

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

KSPSSF NRPVDVLVPS VSLQAFKSFL RSQGLEYAVT IEDLQALLDN EDDEMQHNEG QERSSNNFNY GAYHSLEAIY HEMDNIAADF PDLARRVKIG HSFENRPMYV LKFSTGKGVR RPAVWLNAGI HSREWISQAT AIWTARKIVS DYQRDPAITS ILEKMDIFLL PVANPDGYVY TQTQNRLWRK TRSRNPGSSC IGADPNRNWN ASFAGKGASD NPCSEVYHGP HANSEVEVKS VVDFIQKHGN FKGFIDLHSY SQLLMYPYGY SVKKAPDAEE LDKVARLAAK ALASVSGTEY QVGPTCTTVY PASGSSIDWA YDNGIKFAFT FELRDTGTYG FLLPANQIIP TAEETWLGLK TIMEHVRDNL Y

### USAGE

Reconstitute in 100mM NaHCO3, 500mM NaCl (pH8.3) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


# **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

# **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# **Image**



SDS-PAGE Image

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.