

Recombinant Endoplasmic Reticulum Protein 44 (ERP44) Instruction Manual

SIPF765Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	40.9kDa
Accurate Molecular Mass	41kDa(Analysis of differences refer to the manual)
Residues & Tags	Met1~Ala322 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	5.0
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

MNPAVFLSLA DLRCSELLLLV TSIFTPITAE IASLDSEID EILNNADVAL
VNFYADWCRF SQMLHPIFEE ASDVIKEEYP DKNQVVFARV DCDQHSDIAQ
RYRISKYPTL KLFRNGMMMK REYRGQRSVK ALADYIRQQK SNPVHEIQSL
DEVTNLDRSK RNIIGYFEQK DSENYRVFER VASILHDDCA FLSAFGDLSK
PERYNGDNVI YKPPGRSAPD MVYLGSMTNF DVTYNWIQDK CVPLVREITF
ENGEELTEEG LPFLILFHMK DDTESLEIFQ NEVARQLISE KGTINFLHAD
CDKFRHPLLH IQKTPADCPV IA

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.