

# Recombinant Fucosyltransferase 2 (FUT2) Instruction Manual

SIPF936Hu01

**Homo sapiens (Human)**

<b>Source</b>	Prokaryotic expression
<b>Host</b>	E.coli
<b>Endotoxin Level</b>	<1.0EU per 1µg (determined by the LAL method)
<b>Subcellular Location</b>	Membrane, Golgi apparatus
<b>Predicted Molecular Mass</b>	39.4kDa
<b>Accurate Molecular Mass</b>	40kDa(Analysis of differences refer to the manual)
<b>Residues &amp; Tags</b>	Gln29~His343 with N-terminal His Tag
<b>Buffer Formulation</b>	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
<b>Traits</b>	Freeze-dried powder
<b>Purity</b>	> 90%
<b>Isoelectric Point</b>	8.7
<b>Applications</b>	Positive Control; Immunogen; SDS-PAGE; WB.

## SEQUENCE

```
                QQ RLAKIQAMWE LPVQIPVLAS
TSKALGPSQL RGMWTINAIG RLG NQMGEYA TLYALAKMNG RPAFIPAQMH
STLAPIFRIT LPVLHSATAS RIPWQNYHLN DWMEEEYRHI PGEYVRFYGY
PCSWTFYHHL RQEILQEFTL HDHVREEAQK FLRGLQVNGS RPTGFVGVHV
RRGDYVHVMP KVWKGVVADR RYLQQALDWF RARYSSLIFV VTSNGMAWCR
ENIDTSHGDV VFAGDGIEGS PAKDFALLTQ CNHTIMTIGT FGIWAAYLTG
GDTIYLANYT LPDSPFLKIF KPEAAFLPEW TGIAADLSPL LKH
```

## USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

## **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**




Figure. SDS-PAGE

## **[IMPORTANT NOTE]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.