

Recombinant Triggering Receptor Expressed On Myeloid Cells 2 (TREM2) Instruction Manual

SIPG830Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane, Secreted
Predicted Molecular Mass	54.5kDa
Accurate Molecular Mass	55kDa(Analysis of differences refer to the manual)
Residues & Tags	Met1~Thr227 with N-terminal His and GST Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	6.2
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
MGPLHQFLLL LITALSQALN TTVLQGMAGQ SLRVSTYDA LKHWGRRKAW  
CRQLGEEGPC QRVVSTHGVM LLAFLKKRNG STVIADDTLA GTVTITLKNL  
QAGDAGLYQC QSLRGREAEV LQKVLVEVLE DPLDDQDAGD LWWPEESSF  
EGAQVEHSTS RNQETSFPPT SILLLLACVL LSKFLAASIL WAVARGRQKP  
GTPVVRGLDC GQDAGHQLQI LTGPGGT
```

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-0.25 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

CGAATGGAGGAGCTCATGGAGAGAGCCCTCTGGAAATGTAAGCACTCTCAAGACCTTAGGCGCTATCGCGCCCTTACGAGCTAGAGCTCGAGCGGAGAGCTGAGGCTCTGGAACTATGGTGGAGGTGTCGAGGACCTCTAGATGCTTACAGTGTGGAGTCTTGGCTGCGGCTAT



SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.