Recombinant Sulfatase 2 (SULF2) Instruction Manual

SIPH069Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Golgi apparatus

Predicted Molecular Mass 65.7kDa

Accurate Molecular Mass 65kDa(Analysis of differences refer to the manual)

Residues & Tags Phe337~Arg649 with N-terminal His and GST Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 8.7

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

			FDIR	VPFYVRGPNV	
EAGCLNPHIV	LNIDLAPTIL	DIAGLDIPAD	MDGKSILKLL	DTERPVNRFH	
LKKKMRVWRD	SFLVERGKLL	HKRDNDKVDA	QEENFLPKYQ	RVKDLCQRAE	
YQTACEQLGQ	KWQCVEDATG	KLKLHKCKGP	MRLGGSRALS	NLVPKYYGQG	
SEACTCDSGD	YKLSLAGRRK	KLFKKKYKAS	YVRSRSIRSV	AIEVDGRVYH	
VGLGDAAQPR	NLTKRHWPGA	PEDQDDKDGG	DFSGTGGLPD	YSAANPIKVT	
HRCYTI FNDT	VOCDI DI YKS	LOAWKDHKLH	TDHETETI ON	KTKNI REVR	

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.