# Recombinant Replication Protein A1 (RPA1) Instruction Manual

# SIPH610Hu01

## Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationNucleusPredicted Molecular Mass72.0kDa

Accurate Molecular Mass 72kDa(Analysis of differences refer to the manual)
Residues & Tags Asp18~Pro403 with N-terminal His and GST Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Traits** Freeze-dried powder

Purity > 95% Isoelectric Point 8.5

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

DTN IKPILQVINI RPITTGNSPP RYRLLMSDGL
NTLSSFMLAT QLNPLVEEQ LSSNCVCQIH RFIVNTLKDG RRVVILMELE
VLKSAEAVGV KIGNPVPYNE GLGQPQVAPP APAASPAASS RPQPQNGSSG
MGSTVSKAYG ASKTFGKAAG PSLSHTSGGT QSKVVPIASL TPYQSKWTIC
ARVTNKSQIR TWSNSRGEGK LFSLELVDES GEIRATAFNE QVDKFFPLIE
VNKVYYFSKG TLKIANKQFT AVKNDYEMTF NNETSVMPCE DDHHLPTVQF
DFTGIDDLEN KSKDSLVDII GICKSYEDAT KITVRSNNRE VAKRNIYLMD
TSGKVVTATL WGEDADKFDG SRQPVLAIKG ARVSDFGGRS LSVLSSSTII
ANP

#### USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**




Figure. SDS-PAGE

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.