Recombinant E2F Transcription Factor 2 (E2F2) Instruction Manual

SIPJ212Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass63.4kDa

Accurate Molecular Mass 68kDa(Analysis of differences refer to the manual)

Residues & Tags Arg129~Tyr429 with N-terminal His and GST Tag

20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL,

Buffer Formulation5% Trehalose.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 4.4

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

RY DTSLGLLTKK FIYLLSESED

GVLDLNWAAE VLDVQKRRIY DITNVLEGIQ LIRKKAKNNI QWVGRGMFED PTRPGKQQQL GQELKELMNT EQALDQLIQS CSLSFKHLTE DKANKRLAYV TYQDIRAVGN FKEQTVIAVK APPQTRLEVP DRTEDNLQIY LKSTQGPIEV YLCPEEVQEP DSPSEEPLPS TSTLCPSPDS AQPSSSTDPS IMEPTASSVP APAPTPQQAP PPPSLVPLEA TDSLLELPHP LLQQTEDQFL SPTLACSSPL

ISFSPSLDOD DYLWGLEAGE GISDLFDSY

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-0.6 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

WITHOUT BEAUTHOUT STREET TATMACH TITATHOUT IT SEGGET AGGST BEGT TEACH TO SEGUE TEACH TO ACTIVE OF THE ACTIVITY OF THE WORLD TO ACTIVITY OF THE ACTIVITY OF THE



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.