

Recombinant DNA Methyltransferase 3A (DNMT3A) Instruction Manual

SIPJ941Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Nucleus, Cytoplasm
Predicted Molecular Mass	35.7kDa
Accurate Molecular Mass	38kDa(Analysis of differences refer to the manual)
Residues & Tags	Ile634~Val912 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 97%
Isoelectric Point	8.5
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
IRVLSLF DGIATGLLVL
KDLGIQVDRY IASEVCEDSI TVGMVRHQGK IMYVGDVRSV TQKHIQEWGP
FDLVIGGSPC NDLSIVNPAR KGLYEGTGRL FFEFYRLLHD ARPKEGDDRP
FFWLFENVVA MGVSDKRDIS RFLESNPVMI DAKEVSAHR ARYFWGNLPG
MNRPLASTVN DKLELQECLE HGRIAKFSKV RTITTRSNSI KQGKDQHFVP
FMNEKEDILW CTEMERVFGF PVHYTDVSNM SRLARQRLG RSWVSPVIRH
LFAPLKEYFA CV
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

