

Recombinant C1q And Tumor Necrosis Factor Related Protein 1 (C1QTNF1) Instruction Manual

SIPK298Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	59.2kDa
Accurate Molecular Mass	59kDa(Analysis of differences refer to the manual)
Residues & Tags	Arg26~Pro281 with N-terminal His and GST Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	6.3
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
RVPHV QGEQQEWEGT EELPSPPDHA  
ERAEEQHEKY RPSQDQGLPA SRCLRCCDPG TSMYPATAVP QINITILKGE  
KGDRGDRGLQ GKYGKTGSAG ARGHTGPKGQ KGSMGAPGER CKSHYAAFSV  
GRKKPMHSNH YYQTVIFDTE FVNLYDHFNM FTGKFYCYVP GLYFFSLNVH  
TWNQKETYLH IMKNEEEVVI LFAQVGDRSI MQSQSLMLEL REQDQVWVRL  
YKGERENAIF SEELDTYITF SGYLVKHATE P
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

