Recombinant Notch Homolog 3 (NOTCH3) Instruction Manual

SIPL091Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1μg (determined by the LAL method)

Subcellular Location Membrane, Nucleus, Chromosome

Predicted Molecular Mass 47.2kDa

Accurate Molecular Mass 48kDa(Analysis of differences refer to the manual)

Residues & Tags Leu2053~Gln2318 with His and TRxA Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 8.1

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

LKAAQSGS KKSRRPPGKA GLGPQGPRGR GKKLTLACPG PLADSSVTLS
PVDSLDSPRP FGGPPASPGG FPLEGPYAAA TATAVSLAQL GGPGRAGLGR
QPPGGCVLSL GLLNPVAVPL DWARLPPPAP PGPSFLLPLA PGPQLLNPGT
PVSPQERPPP YLAVPGHGEE YPAAGAHSSP PKARFLRVPS EHPYLTPSPE
SPEHWASPSP PSLSDWSEST PSPATATGAM ATTTGALPAQ PLPLSVPSSL
AQAQTQLGPQ PEVTPKRQ

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

SATE TAKANG DAN TAKANG ANG ANG ANG ANG TOO DAN AND AND TAKANG AND




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.