

Recombinant Minichromosome Maintenance Deficient 3 Associated Protein (MCM3AP) Instruction Manual

SIPL545Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1 μ g (determined by the LAL method)
Subcellular Location	Nucleus, Cytoplasm, Chromosome
Predicted Molecular Mass	35.9kDa
Accurate Molecular Mass	39kDa(Analysis of differences refer to the manual)
Residues & Tags	Phe33~Arg340 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 80%
Isoelectric Point	9.2
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
                                FGQPSLFG QNSTLSGKSS  
GFSQVSSFPA SSGVSHSSSV QTLGFTQTSS VGPFSGLEHT STFVATSGPS  
SSSVLGNTGF SFKSPTSVGA FPSTSAFGQE AGEIVNSGFG KTEFSFKPLE  
NAVFKPILGA ESEPEKTQSQ IASGFFTFSH PISSAPGGLA PFSFPQVTSS  
SATTSNFTFS KPVSSNNSLS AFTPALSNQN VEEEKRGPKS IFGSSNNSFS  
SFPVSSAVLG EPFQASKAGV RQGCEEAVSQ VEPLPSLMKG LKRKEDQDRS  
PRRHGHEPAE DSDPLSRGDH PPKRPPVRLN RPRGGTLFGR
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.