# Recombinant Tumor Necrosis Factor Alpha Induced Protein 6 (TNFaIP6) Instruction Manual

# SIPM766Mu01

#### Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	32.7KDa
Accurate Molecular Mass	33kDa(Analysis of differences refer to the manual)
Residues & Tags	Trp18~Leu275 with N-terminal His Tag
<b>Buffer Formulation</b>	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	8.2
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

## SEQUENCE

WGF KNGIFHNSIW LEQAAGVYHR EARAGRYKLT YAEAKAVCEF EGGRLATYKQ LEAARKIGFH VCAAGWMAKG RVGYPIVKPG PNCGFGKTGI IDYGIRLNRS ERWDAYCYNP HAKECGGVFT DPKRIFKSPG FPNEYDDNQV CYWHIRLKYG QRIHLSFLDF DLEHDPGCLA DYVEIYDSYD DVHGFVGRYC GDELPEDIIS TGNVMTLKFL SDASVTAGGF QIKYVTVDPA SKSSQAKNTS TTGNKKFLPG RFSHL

#### USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

#### STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.