Recombinant Anosmin 1 (ADMLX) Instruction Manual

SIPP910Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane, Secreted
Predicted Molecular Mass	46.6kDa
Accurate Molecular Mass	47kDa(Analysis of differences refer to the manual)
Residues & Tags	Ser283~Leu665 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	10.1
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

SSKDPSAP PAPANLRLAN STVNSDGSVT VTIVWDLPEE PDIPVHHYKV FWSWMVSSKS LVPTKKKRRK TTDGFQNSVI LEKLQPDCDY VVELQAITYW GQTRLKSAKV SLHFTSTHAT NNKEQLVKTR KGGIQTQLPF QRRRPTRPLE VGAPFYQDGQ LQVKVYWKKT EDPTVNRYHV RWFPEACAHN RTTGSEASSG MTHENYIILQ DLSFSCKYKV TVQPIRPKSH SKAEAVFFTT PPCSALKGKS HKPVGCLGEA GHVLSKVLAK PENLSASFIV QDVNITGHFS WKMAKANLYQ PMTGFQVTWA EVTTESRQNS LPNSIISQSQ ILPSDHYVLT VPNLRPSTLY RLEVQVLTPG GEGPATIKTF RTPEL

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

	kDa 70
-	44
	33
-	26
	22
	18
	14
	10

Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.